

Trade name : Revision date : Print date : Exclusiva Ontvetter 45-HF 06-07-2016 08-01-2021

3.0.0 (2.1.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Exclusiva Ontvetter 45-HF 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Degreaser Process categories [PROC] PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC 11 - Non industrial spraying PROC 19 - Manual activities involving hand contact Environmental release categories [ERC] ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) Uses advised against This product should not be used for purposes other than the applications referred to above. 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Exclusiva BV **Street :** Dynamostraat 11 Postal code/city: 1014 BN Amsterdam Telephone: +31 (0)20-4357777 Telefax: +31 (0)20-4357797 Information contact : De Heer S. van Dijk Website : www.exclusiva.nl E-mail (competent person): showroom@exclusiva.nl **1.4 Emergency telephone number** National Poisons Information Service (NPIS) Email: director.birmingham.unit@npis.org Website: http://www.npis.org/ **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways. Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Health hazard (GHS08) · Environment (GHS09) · Exclamation mark (GHS07) Signal word Danger

Page : 1 / 9



Trade name :	Exclusiva Ontvetter 45-HF		
Revision date :	06-07-2016	Version (Revision) :	3.0.0 (2.1.0)
Print date :	08-01-2021		

Hazard components for labelling

ECIFIED ; CAS No. : 64742-81-0				
May be fatal if swallowed and enters airways.				
Causes skin irritation.				
Toxic to aquatic life with long lasting effects.				
Precautionary statements				
ye protection/face protection.				
CENTER/doctor/				
ittention.				
pefore reuse.				

Remark

The product is classified and labelled according to EC directives or corresponding national laws.

2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

< 1 %

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

KEROSINE)PETROLEUM), HYDRODESULFURIZED /KEROSINE - UNSPECIFIED ; REACH No. : 01-2119462828-25 ; EC No. :265-184-9; CAS No. : 64742-81-0 \geq 50 %

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304 Skin Irrit. 2 ; H315 STOT SE 3 ; H336 Aquatic Chronic 2 ; H411 OLEYLAMINE ETHOXYLATE ; REACH No. : POLYMER ; EC No. : 500-048-7; CAS No. : 26635-93-8

Weight fraction : Classification 1272/2008 [CLP] :

: Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

No special measures are necessary.

In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

After eye contact



Trade name : Revision date : Print date : Exclusiva Ontvetter 45-HF 06-07-2016 08-01-2021

3.0.0 (2.1.0)

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist Water spray jet Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage



Trade name : Revision date : Print date : Exclusiva Ontvetter 45-HF 06-07-2016 08-01-2021

Version	(Revision) :
---------	--------------

3.0.0 (2.1.0)



7.1 Precautions for safe handling

None

7.2 Conditions for safe storage, including any incompatibilities Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment



Eye/face protection

Eye glasses with side protection

Skin protection

Hand protection Suitable gloves type EN ISO 374 Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Required properties liquid-tight. Breakthrough time (maximum wearing time) Permeation time (maximum wear time) Thickness of the glove material Nitril: 0,12 mm Butyl: 0,50 mm

General information

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Colour : green
- **Odour :** characteristic

Safety characteristics

Physical state :			Liquid	
Melting point/freezing point :			not applicable	
Initial boiling point and boiling range :	(1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Freezing point :			No data available	
Flash point :			63	°C
Auto-ignition temperature :		>	250	°C
Lower explosion limit :				Vol-%
Upper explosion limit :				Vol-%



Print date	ate :	06-07-2016	tvetter 45-HF		Version (Rev	ision) :	3.0.0 (2.1.0
	:	08-01-2021					
V	apour Pressure :		(20 °C)	<	5	hPa	
E	vaporation rate (n-) :	butylacetate =	=		No data available		
	ensity :		(20 °C)	approx.	0,81	g/cm ³	
W	Vater solubility :		(20 °C)		emulsifies		
•	Н:				not applicable		
	artition coefficient ctanol/water) :	(n-		<	3		
	iscosity :		(20 °C)	<	10	mPa*s	
	inematic viscosity :		(40 ℃)	<	10	mm²/s	
	apour density (air :		(101 kPa)		No data available		
	alt onder Detergen						
	erordening (EG) Nr /N	. 648/2004			yes		
.2 Oth	her informatio ne	n					
ECTIO	N 10: Stabilit	v and read	ctivitv				
		,					
	activity t applicable						
	emical stabilit	t y					
Sta	able under normal o	conditions of u	Ise				
0.3 Pos	ssibility of ha	zardous re	eactions				
	information availab						
	nditions to av						
	information availab						
	compatible ma	atenais					
	ong oxidizers						
	zardous deco	-	products				
110		ogical info	ormation				
	N 11: Toxicol						
SECTIO	N 11: Toxicol		cal effects				
ECTIO	ormation on t		cal effects				
ECTIO 1.1 Inf Ac		toxicologi	cal effects				
ECTIO 1.1 Inf Ac	ormation on t cute toxicity	toxicologi		AMINE ETHOXYL	ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac	formation on t cute toxicity cute oral toxicity	toxicologi		AMINE ETHOXYL	ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac	formation on the cute toxicity cute oral toxicity Parameter : Exposure route : Species :	toxicologi	LD50 (OLEYLA	amine ethoxyl	ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac	formation on the cute toxicity cute oral toxicity Parameter : Exposure route :	toxicologi	LD50 (OLEYLA Oral		ATE ; CAS No. : 266	35-93-8)	
SECTIO	formation on the cute toxicity cute oral toxicity Parameter : Exposure route : Species :	toxicologi	LD50 (OLEYLA Oral Rat		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac Ar	Formation on a cute toxicity cute oral toxicity Parameter : Exposure route : Species : Effective dose :	toxicologi ,	LD50 (OLEYLA Oral Rat		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac A F	Formation on the cute toxicity cute oral toxicity cute oral toxicity Parameter : Exposure route : Species : Effective dose : Drrosion	toxicologi ,	LD50 (OLEYLA Oral Rat		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac A F	Formation on the cute toxicity cute oral toxicity cute oral toxicity Parameter : Exposure route : Species : Effective dose : Drrosion kin corrosion/irr	toxicologi , itation	LD50 (OLEYLA Oral Rat 200 - 2000 mg		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac A F Co SI	Formation on the cute toxicity cute oral toxicity cute oral toxicity Parameter : Exposure route : Species : Effective dose : Orrosion kin corrosion/irr	toxicologi , itation	LD50 (OLEYLA Oral Rat 200 - 2000 mg		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac A F Co Si Si	Formation on the cute toxicity cute oral toxicity cute oral toxicity Parameter : Exposure route : Species : Effective dose : Drrosion kin corrosion/irr Not an irritant. erious eye damage	toxicologi , itation ge/eye irrita	LD50 (OLEYLA Oral Rat 200 - 2000 mg		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac A F Co Si Si Si I T	Cormation on a Cute toxicity Cute oral toxicity Parameter : Exposure route : Species : Effective dose : Drrosion kin corrosion/irr Not an irritant. erious eye damag Not an irritant.	toxicologi , itation ge/eye irrita	LD50 (OLEYLA Oral Rat 200 - 2000 mg		ATE ; CAS No. : 266	35-93-8)	
ECTIO 1.1 Inf Ac A F Co Si I I I I I I	formation on a cute toxicity cute oral toxicity Parameter : Exposure route : Species : Effective dose : Orrosion kin corrosion/irr Not an irritant. erious eye dama Not an irritant. rritation to respin No data available	toxicologi itation ge/eye irrita ratory tract	LD50 (OLEYLA Oral Rat 200 - 2000 mg	ı/kg			1)
SECTIO 1.1 Inf Ac A F Co Si Si Si Co Co Co Co Co Co Co Co Co Co Co Co Co	Formation on the cute toxicity cute oral toxicity parameter : Exposure route : Species : Effective dose : Drrosion kin corrosion/irri Not an irritant. erious eye damage Not an irritant. rritation to respin No data available MR effects (cata arcinogenicity)	itation ge/eye irrita ratory tract arcinogeni	LD50 (OLEYLA Oral Rat 200 - 2000 mg	ı/kg enicity and	toxicity for re	production	-
ECTIO 1.1 Inf Ac A F Co Si I I T C C C	Formation on the cute toxicity cute oral toxicity parameter : Exposure route : Species : Effective dose : Drrosion kin corrosion/irri Not an irritant. erious eye damage Not an irritant. rritation to respin No data available MR effects (cata arcinogenicity)	itation ge/eye irrita ratory tract arcinogeni es not meet the	LD50 (OLEYLA Oral Rat 200 - 2000 mg	ı/kg enicity and		production	-
ECTIO 1.1 Inf Ac A F Co Si I I T C C C	Formation on the cute toxicity cute oral toxicity and toxicity and the correstion of the corresti	itation ge/eye irrita ratory tract arcinogeni es not meet the	LD50 (OLEYLA Oral Rat 200 - 2000 mg htion city, mutage	ı/kg enicity and	toxicity for re	production	-



Trade name : Revision date : Print date : Exclusiva Ontvetter 45-HF 06-07-2016 08-01-2021

Version (Revision) :

3.0.0 (2.1.0)

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

STOT-single exposure

not applicable

STOT-repeated exposure

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

SECTION 12: Ecological information

12.1 Toxicity

harmless to aquatic organisms up to the tested concentration

Aquatic toxicity	
Acute (short-term) fish toxicity	,
Parameter :	LC50 (OLEYLAMINE ETHOXYLATE ; CAS No. : 26635-93-8)
Species :	Oncorhynchus mykiss (Rainbow trout)
Effective dose :	0,25 mg/l
Exposure time :	96 h
Parameter :	EC50 (OLEYLAMINE ETHOXYLATE ; CAS No. : 26635-93-8)
Species :	Daphnia magna (Big water flea)
Effective dose :	0,49 mg/l
Exposure time :	48 h
	iquatic algae and cyanobacteria
Parameter :	IC50 (OLEYLAMINE ETHOXYLATE ; CAS No. : 26635-93-8)
Species :	Algae
Effective dose :	0,1 - 1 mg/l
Exposure time :	72 h
12.2 Persistence and degradabi	lity
Biodegradable.	
Biodegradation	
Parameter :	Biodegradation (OLEYLAMINE ETHOXYLATE ; CAS No. : 26635-93-8)
Inoculum :	Biodegradation
Degradation rate :	> 60 %
Evaluation :	Biodegradable.
Method :	OECD 301B
12.3 Bioaccumulative potential	
No indication of bioaccumulation pot	ential.
12.4 Mobility in soil	
No information available.	
12.5 Results of PBT and vPvB as	ssessment
This substance does not meet the PE	3T/vPvB criteria of REACH, Annex XIII.
	t meet the PBT/vPvB criteria according to REACH, annex XIII.
12.6 Other adverse effects	
Nana	

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.



Trade name : Revision date : Print date : Exclusiva Ontvetter 45-HF 06-07-2016 08-01-2021

Version (Revision) :

3.0.0 (2.1.0)

SECTION 14: Transport information 14.1 UN number UN 3082 14.2 UN proper shipping name Land transport (ADR/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (KEROSINE)PETROLEUM), HYDRODESULFURIZED / KEROSINE - UNSPECIFIED · OLEYLAMINE ETHOXYLATE) Sea transport (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (KEROSINE)PETROLEUM), HYDRODESULFURIZED / KEROSINE - UNSPECIFIED · OLEYLAMINE ETHOXYLATE) Air transport (ICAO-TI / IATA-DGR) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (KEROSINE)PETROLEUM), HYDRODESULFURIZED / KEROSINE - UNSPECIFIED · OLEYLAMINE ETHOXYLATE) 14.3 Transport hazard class(es) Land transport (ADR/RID) Class(es) : 9 **Classification code :** M6 Hazard identification number (Kemler No.): 90 Tunnel restriction code : F LO 5 | · E 1 · ADR : - (SP 375 <= 5 l/kg) Special provisions : Hazard label(s) : g / N Sea transport (IMDG) Class(es) : 9 EmS-No. : F-A / S-F Special provisions : LQ 5 | · E 1 · IMDG : - (SP 2.10.2.7 <= 5 l/kg) Hazard label(s) : 9 / N Air transport (ICAO-TI / IATA-DGR) Class(es) : E 1 · IATA : - (SP A197 <= 5 l/kg) Special provisions : Hazard label(s) : 9 / N 14.4 Packing group III 14.5 Environmental hazards Land transport (ADR/RID): Yes Sea transport (IMDG): Yes (P) Air transport (ICAO-TI / IATA-DGR): Yes 14.6 Special precautions for user None 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Page : 7 / 9 (EN/NL)



Trade name : Revision date : Print date : Exclusiva Ontvetter 45-HF 06-07-2016 08-01-2021

Version (Revision) :

3.0.0 (2.1.0)

not applicable

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 03. Hazardous ingredients · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society of Testing and Materials (US) CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC50 = Median effective concentration EINECS = European Inventory of Existing Commercial Chemical Substan ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EWC = European Waste Catalogue IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG = International Maritime Dangerous Goods Code IMO = International Maritime Organization LC50 = Concentration required to kill 50% of test organisms LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level MRL = Maximum Residue Limit NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level OEL = Occupational Exposure Limits PBT = Persistent, Bioaccumulative or Toxic PNEC = Previsible Non Effect Concentration

- STEL = Short-Term Exposure Limit
- TWA = Time-Weighted Average

vPvB = Very Persistent and Very Bioacccumulative

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Indeling van de stof of het mengsel: classificatie conform Verordening (EG) Nr. 1272/2008 [CLP] door middel van calculatiemethode via software.

16.5 Relevant H- and EUH-phrases (Number and full text)

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.



Trade name :	Exclusiva Ontvetter 45-HF		
Revision date :	06-07-2016	Version (Revision) :	3.0.0 (2.1.0)
Print date :	08-01-2021		

H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

Article No.: 818

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.