## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date :** 31-05-2018 **Version (Revision) :** 4.0.0 (3.0.0)

**Print date:** 06-01-2021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

Exclusiva Universeelreiniger B

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

PC 35 - Washing and cleaning products

#### **Process categories [PROC]**

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 11 - Non industrial spraying

PROC 19 - Manual activities involving hand contact

#### **Environmental release categories [ERC]**

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

### Uses advised against

This product should not be used for purposes other than the applications referred to above.

## 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

Exclusiva BV

**Street:** Dynamostraat 11

Postal code/city: 1014 BN Amsterdam

**Telephone:** +31 (0)20-4357777 **Telefax:** +31 (0)20-4357797

Information contact: De Heer S. van Dijk

Website: www.exclusiva.nl

E-mail (competent person): showroom@exclusiva.nl

#### 1.4 Emergency telephone number

National Poisons Information Service (NPIS) Email: director.birmingham.unit@npis.org Website: http://www.npis.org/

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Corr. 1B; H314 - Skin corrosion/irritation: Category 1B; Causes severe skin burns and eye damage. Eye Dam. 1; H318 - Serious eye damage/eye irritation: Category 1; Causes serious eye damage.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### **Hazard pictograms**



Corrosion (GHS05)

Signal word

Danger

#### Hazard components for labelling

ALKYLBENZEENSULFONZUUR; CAS No.: 85536-14-7

Page: 1/9

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date:** 06-01-2021

SODIUMMETASILICATE; CAS No.: 10213-79-3

ALCOHOLS, C12-14, ETHOXYLATED; CAS No.: 68439-50-9

Hazard statements

H314 Causes severe skin burns and eye damage.

**Precautionary statements** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER/doctor/....
P321 Specific treatment (see ... on this label).

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P405 Store locked up.

Remark

The product is classified and labelled according to EC directives or corresponding national laws.

## 2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

#### 2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### **Hazardous ingredients**

2-BUTOXYETHANOL; REACH No.: 01-2119475108-36; EC No.: 203-905-0; CAS No.: 111-76-2

Weight fraction :  $\geq$  2,5 - < 10 %

Classification 1272/2008 [CLP]: Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Irrit. 2; H315

Eye Irrit. 2; H319

ALKYLETHERSULFAAT, NA-ZOUT; REACH No.: 01-2119488639-16; EC No.: 500-234-8; CAS No.: 68891-38-3

Weight fraction :  $\geq$  2,5 - < 10 %

Classification 1272/2008 [CLP] : Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412 ALKYLBENZEENSULFONZUUR; REACH No.: 01-2119490234-40; EC No.: 287-494-3; CAS No.: 85536-14-7

Weight fraction :  $\geq 2,5 - < 3\%$ 

Classification 1272/2008 [CLP]: Skin Corr. 1B; H314 Acute Tox. 4; H302

SODIUMMETASILICATE; REACH No.: 01-2119449811-37; EC No.: 229-912-9; CAS No.: 10213-79-3

Weight fraction :  $\geq$  1 - < 2,5 %

Classification 1272/2008 [CLP] : Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 STOT SE 3 ; H335

ALCOHOLS, C12-14, ETHOXYLATED; REACH No.: POLYMER; CAS No.: 68439-50-9

Weight fraction :  $\geq 1 - < 2.5 \%$ 

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Chronic 3 ; H412

**Additional information** 

Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures General information

Page: 2/9

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date:** 06-01-2021

When in doubt or if symptoms are observed, get medical advice.

## Following inhalation

No special measures are necessary.

## In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

## After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

## 4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date. Repeated exposure may cause skin dryness or cracking.

## 4.3 Indication of any immediate medical attention and special treatment needed

None

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

## Unsuitable extinguishing media

Full water jet

## 5.2 Special hazards arising from the substance or mixture

### **Hazardous combustion products**

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

## 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

## 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

#### **Protective equipment**

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## **Emergency procedures**

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3 Methods and material for containment and cleaning up

#### For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

Page: 3 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date :** 06-01-2021

#### For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

#### 6.4 Reference to other sections

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**



#### 7.1 Precautions for safe handling

#### Protective measures

### Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices

## 7.2 Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

#### 7.3 Specific end use(s)

None

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Occupational exposure limit values

2-BUTOXYETHANOL ; CAS No. : 111-76-2

Limit value type (country of origin): STEL ( EC )

Limit value: 50 ppm / 246 mg/m<sup>3</sup>

Remark: Skin
Version: 20-06-2019
Limit value type (country of origin): TWA ( EC )

Limit value: 20 ppm / 98 mg/m<sup>3</sup>

Remark: Skin
Version: 20-06-2019

Limit value type (country of origin) : Exposure Limit (8h) (  ${\sf NL}$  )

Limit value type (country of origin): Exposure Limit (15min) ( NL )

 $\begin{array}{ll} \mbox{Limit value:} & 246 \mbox{ mg/m}^3 \\ \mbox{Remark:} & \mbox{H} \end{array}$ 

Version: 01-01-2007

## **DNEL-/PNEC-values**

#### **DNEL/DMEL**

SODIUMMETASILICATE; CAS No.: 10213-79-3

Limit value type : DNEL Consumer (systemic)

Exposure route: Oral
Exposure frequency: Long-term
Limit value: 0,74 mg/kg

Limit value type : DNEL Consumer (systemic)

Page: 4/9

(EN/NL)

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date :** 06-01-2021

 $\begin{array}{lll} \mbox{Exposure route}: & \mbox{Inhalation} \\ \mbox{Exposure frequency}: & \mbox{Long-term} \\ \mbox{Limit value}: & 1,55 \mbox{ mg/m}^3 \end{array}$ 

Limit value type : DNEL Consumer (systemic)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 0,74 mg/kg

Limit value type : DNEL worker (systemic)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 6,22 mg/m³

Limit value type : DNEL worker (systemic)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 1,49 mg/kg

**PNEC** 

SODIUMMETASILICATE; CAS No.: 10213-79-3

Limit value type: PNEC (Aquatic, freshwater)
Exposure route: Water (Including sewage plant)

Limit value : 7,5 mg/l

Limit value type: PNEC (Aquatic, marine water)
Exposure route: Water (Including sewage plant)

Limit value: 1 mg/l

Limit value type : PNEC (Sewage treatment plant)
Exposure route : Water (Including sewage plant)

Limit value: 1000 mg/l

## 8.2 Exposure controls

## **Personal protection equipment**





#### **Eve/face protection**

Eye glasses with side protection

#### Skin protection

Hand protection Suitable gloves type EN ISO 374 Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Required properties liquid-tight. Breakthrough time (maximum wearing time) Permeation time (maximum wear time) Thickness of the glove material Nitril: 0,12 mm Butyl: 0,50 mm

# **General information**

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

## **Environmental exposure controls**

See section 7. No additional measures necessary.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Colour: blue

Odour : characteristic
Safety characteristics

Physical state: Liquid
Melting point/freezing point: not applicable
Initial boiling point and boiling (1013 hPa) > 100 °C

Page: 5 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Exclusiva Universeelreiniger B

Revision date: 31-05-2018 Version (Revision): 4.0.0 (3.0.0)

Print date: 06-01-2021

range:

**Decomposition temperature:** No data available Freezing point: No data available Flash point: not applicable No data available **Auto-ignition temperature:** 

Lower explosion limit: Vol-%

Upper explosion limit: Vol-%

Vapour Pressure: (20°C) No data available

Evaporation rate (n-butylacetate = No data available

1): Density: (20°C)

approx. 1,05 g/cm3 Water solubility: (20°C) 100 Wt %

pH: 13

Partition coefficient (n-3 octanol/water):

(20 °C) Viscosity: 10 mPa\*s

Vapour density (air = 1): (101 kPa) No data available

Valt onder Detergentia

Verordening (EG) Nr. 648/2004 ves

#### 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

not applicable

#### 10.2 Chemical stability

Stable under normal conditions of use

## 10.3 Possibility of hazardous reactions

No information available.

## 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Strong oxidizers

## 10.6 Hazardous decomposition products

No information available.

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

# **Acute toxicity**

#### **Acute oral toxicity**

Parameter: LD50 (2-BUTOXYETHANOL; CAS No.: 111-76-2)

Exposure route: Oral Species: Rat Effective dose: 1480 mg/kg

Acute inhalation toxicity

Parameter: LC50 (2-BUTOXYETHANOL; CAS No.: 111-76-2)

Exposure route: Inhalation Species: Rat Effective dose: 500 ppm

Parameter: LC50 (2-BUTOXYETHANOL; CAS No.: 111-76-2)

Exposure route: Inhalation

Page: 6 / 9

(EN/NL)

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date:** 06-01-2021

Species: Mouse Effective dose: 700 ppm

#### Corrosion

#### Skin corrosion/irritation

corrosive.

#### Serious eye damage/eye irritation

corrosive.

#### Irritation to respiratory tract

No data available

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

#### Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## **STOT-single exposure**

not applicable

## **STOT-repeated exposure**

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

harmless to aquatic organisms up to the tested concentration

## 12.2 Persistence and degradability

Biodegradable.

## 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Other adverse effects

None

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## 14.1 UN number

No dangerous good in sense of these transport regulations.

## 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

Page: 7/9

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date :** 06-01-2021

## 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

#### 14.4 Packing group

No dangerous good in sense of these transport regulations.

## 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

## 14.6 Special precautions for user

None

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

## **SECTION 16: Other information**

## 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients

#### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road

ASTM = American Society of Testing and Materials (US)

CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)

DNEL = Derived No-Effect Level

DT50 = Time for 50% loss; half-life

EbC50 = Median effective concentration (biomass, e.g. of algae)

EC50 = Median effective concentration

EINECS = European Inventory of Existing Commercial Chemical Substan

ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)

ErC50 = Median effective concentration (growth rate, e.g. of algae)

EWC = European Waste Catalogue

IATA = International Air Transport Association

IC50 = Concentration that produces 50% inhibition

IMDG = International Maritime Dangerous Goods Code

IMO = International Maritime Organization

LC50 = Concentration required to kill 50% of test organisms

LD50 = Dose required to kill 50% of test organisms

LEL = Lower Explosive Limit/Lower Explosion Limit

LOAEL = Lowest observed adverse effect level

MRL = Maximum Residue Limit

NOAEL = No Observed Adverse Effect Level

NOEC = No observed effect concentration

NOEL = No Observable Effect Level

OEL = Occupational Exposure Limits

PBT = Persistent, Bioaccumulative or Toxic

PNEC = Previsible Non Effect Concentration

STEL = Short-Term Exposure Limit

TWA = Time-Weighted Average

vPvB = Very Persistent and Very Bioacccumulative

## 16.3 Key literature references and sources for data

Page: 8 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Exclusiva Universeelreiniger B

**Revision date:** 31-05-2018 **Version (Revision):** 4.0.0 (3.0.0)

**Print date :** 06-01-2021

None

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Indeling van de stof of het mengsel: classificatie conform Verordening (EG) Nr. 1272/2008 [CLP] door middel van calculatiemethode via software.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

## 16.6 Training advice

None

### 16.7 Additional information

Article No.: 828

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9/9