

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Poly-Ex**

Revision date: 03.05.2017

Product code: j1503\_sd

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Poly-Ex

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Powerful stripper

**1.3. Details of the supplier of the safety data sheet**

Company name: JOHANNES KIEHL KG  
Street: Robert-Bosch-Str. 9  
Place: D-85235 Odelzhausen  
Telephone: +49 8134 9305-0 Telefax: +49 8134 6466  
e-mail: info@kiehl-group.com  
Internet: www.kiehl-group.com  
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240  
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145  
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59  
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029  
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,  
Nagyvárad tér 2. Ügyeleti telefonszám: 476-64-00, 476-64-64  
Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662  
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57 / Top 3;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via Michelangelo 29;	I-16036 Avegno (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Ganz Ábrahám utca 4/12,	H-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East L.L.C.	P.O. Box 11 40 19	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

**1.4. Emergency telephone number:** +49/89/19240 (germanophone and anglophone)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes severe skin burns and eye damage.

May cause respiratory irritation.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

Ethanolamine / Trideceth 5-12 / Potassium hydroxide

**Signal word:** Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Poly-Ex

Revision date: 03.05.2017

Product code: j1503\_sd

Page 2 of 8

#### Pictograms:



#### Hazard statements

H335 May cause respiratory irritation.  
H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

None known.

### SECTION 3: Composition/information on ingredients

(according to 648/2004/CE)

#### 3.2. Mixtures

##### Chemical characterization

nonionic surfactants <5%, soap <5%, water soluble solvents, alkalis, fragrances

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
112-34-5	2-(2-Butoxyethoxy)ethanol			10 - < 15 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
141-43-5	2-Aminoethanol			5 - < 10 %
	205-483-3	603-030-00-8		
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H302 H312 H332 H314			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO			1 - < 5 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H318			
1310-58-3	Potassium hydroxide			< 2 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Avoid contact with skin and eyes.

##### After inhalation

not hazardous by inhalation

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Poly-Ex

Revision date: 03.05.2017

Product code: j1503\_sd

Page 3 of 8

#### After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

#### After ingestion

Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

#### **4.2. Most important symptoms and effects, both acute and delayed**

This information is not available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Show this safety data sheet to the doctor in attendance.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

#### **5.2. Special hazards arising from the substance or mixture**

This information is not available.

#### **5.3. Advice for firefighters**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

#### **6.2. Environmental precautions**

Do not flush into surface water.

#### **6.3. Methods and material for containment and cleaning up**

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water.

Never return spills in original containers for re-use.

#### **6.4. Reference to other sections**

Refer to protective measures listed in sections 7 and 8.

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### Advice on safe handling

Avoid contact with skin and eyes.

##### Advice on protection against fire and explosion

Not required

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

##### Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store near acids.

##### Further information on storage conditions

Store at room temperature in the original container. Keep container tightly closed.

Never return unused material to storage receptacle.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Poly-Ex

Revision date: 03.05.2017

Product code: j1503\_sd

Page 4 of 8

#### 7.3. Specific end use(s)

This information is not available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

##### Additional advice on limit values

If applied according to regulations, this will fall below the limit. There is no risk to health.

#### 8.2. Exposure controls

##### Appropriate engineering controls

Not required

##### Protective and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

##### Eye/face protection

Safety glasses with side-shields conforming to EN166

##### Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	pleasant

pH-Value (at 20 °C):

**Test method**  
13 K-QP1012C

##### Changes in the physical state

Melting point:	<-8 °C
Initial boiling point and boiling range:	>98 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	>100 °C

##### Flammability

Solid: not applicable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Poly-Ex**

Revision date: 03.05.2017

Product code: j1503\_sd

Page 5 of 8

Gas: not applicable

**Explosive properties**

Not explosive

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: &gt;300 °C

**Auto-ignition temperature**

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties**

Not relevant

Vapour pressure: not determined

Density (at 20 °C): 1,02 g/cm<sup>3</sup> K-QP1012EWater solubility:  
(at 20 °C) completely miscible**Solubility in other solvents**

not determined

Partition coefficient: not determined

Viscosity / dynamic: not determined

Viscosity / kinematic: not determined

Flow time: not determined

Vapour density: not determined

Evaporation rate: not determined

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

This information is not available.

**10.2. Chemical stability**

This information is not available.

**10.3. Possibility of hazardous reactions**

This information is not available.

**10.4. Conditions to avoid**

Do not expose to temperatures above 35 °C.

**10.5. Incompatible materials**

This information is not available.

**10.6. Hazardous decomposition products**

No decomposition if stored and applied as directed.

**Further information**

Do not mix with other detergents or chemicals.

**SECTION 11: Toxicological information**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Poly-Ex

Revision date: 03.05.2017

Product code: j1503\_sd

Page 6 of 8

#### 11.1. Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
141-43-5	2-Aminoethanol				
	oral	LD50 mg/kg 1720	rat		
	dermal	LD50 mg/kg 1025	rabbit		
	inhalative vapour	ATE 11 mg/l			
	inhalative aerosol	ATE 1,5 mg/l			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
	oral	ATE mg/kg 500			
1310-58-3	Potassium hydroxide				
	oral	LD50 mg/kg 273	rat		

##### Irritation and corrosivity

Causes severe skin burns and eye damage.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

May cause respiratory irritation. (2-Aminoethanol)

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Further information

Health injuries are not known or expected under normal use.

#### SECTION 12: Ecological information

##### 12.1. Toxicity

No data is available on the product itself.

##### 12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

##### 12.3. Bioaccumulative potential

This information is not available.

##### 12.4. Mobility in soil

This information is not available.

##### 12.5. Results of PBT and vPvB assessment

This information is not available.

##### 12.6. Other adverse effects

This information is not available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Poly-Ex**

Revision date: 03.05.2017

Product code: j1503\_sd

Page 7 of 8

**Further information**Chemical Oxygen Demand (COD) 870 mg O<sub>2</sub>/g.**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

**Waste disposal number of waste from residues/unused products**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Waste disposal number of used product**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**

Clean container with water. Offer rinsed packaging material to local recycling facilities.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number:** not applicable**14.2. UN proper shipping name:** not applicable**14.3. Transport hazard class(es):** not applicable**14.4. Packing group:** not applicable**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Not required

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**Other applicable information**

Not classified as dangerous in the meaning of transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-Butoxyethoxy)ethanol

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2 / 3 / 16

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Poly-Ex

Revision date: 03.05.2017

Product code: j1503\_sd

Page 8 of 8

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*