

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Reference number: 3005.0_04_CLP
Issue date: 2023/09/08 Revision date: 2023/09/08 Supersedes version of: 2020/10/29 Version: 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : Viscoplex Exclusiva
UFI : F0CF-CN9U-H80F-KUH7
Product code : 3005.0_44001R190
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use
Industrial/Professional use spec : A.I.S.E. Guidance on Detergents Safe Use Mixture Information (SUMI):
<https://www.aise.eu/our-activities/regulatory-context/reach/safe-use-information-for-end-users.aspx>
Use of the substance/mixture : The data given here is based on the product properties as mentioned in section 1.1. and is provided on the assumption, that the product will be used in the manner and for the purposes for which the manufacturer indicates.
Use of the substance/mixture : Cleaner
Acidic cleaner.
Function or use category : Cleaning/washing agents and additives

Title	Use descriptors
Professional uses; Brushing after trigger spraying or brushing with tools (Association ref code: AISE_SUMI_PW_10_2_G)	SU22, PC35, PROC10, ERC8a, AISE SPERC 8a.1.a.v2
Professional uses; Manual application (Association ref code: AISE_SUMI_PW_19_2_G)	SU22, PC35, PROC19, ERC8a, AISE SPERC 8a.1.a.v2
Transfer of product to a container (bottle/bucket/machine) (Association ref code: AISE_SUMI_PW_8a_1_G)	SU22, PC35, PROC8a, ERC8a, AISE SPERC 8a.1.a.v2
Consumer use of washing and cleaning products	SU21, PC35, ERC8a

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Exclusiva Groothandel
Schurenbergweg 6
NL- 1105 AR Amsterdam
Nederland
T +31 (0) 204357777
Info@exclusiva.nl

1.4. Emergency telephone number

Emergency number : See Section 1.3; Only during office hours

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity – Single exposure, Category 3, H335
Respiratory tract irritation
Full text of H- and EUH-statements: see section 16


Adverse physicochemical, human health and environmental effects

May cause respiratory irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: HYDROCHLORIC ACID

Hazard statements (CLP)

: H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.
: P102 - Keep out of reach of children.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear eye protection, protective gloves, protective clothing.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Intended for general public

Child-resistant fastening

: Applicable

Tactile warning

: Applicable

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Nordic countries regulation

Denmark

MAL code : 00-1 (Executive Order No. 301 from 1993)

2.3. Other hazards

Other hazards which do not result in classification : No supplementary information available. The information in this section applies to the undiluted product.

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water (INCI: AQUA) substance with national workplace exposure limit(s) (LV)	CAS-No.: 7732-18-5 EC-No.: 231-791-2	30 – 100	Not classified
Hydrochloric acid (INCI: HYDROCHLORIC ACID) substance with national workplace exposure limit(s) (BE, BG, DK, DE, EE, FI, FR, GR, HU, IE, IT, HR, LV, LT, LU, MT, NL, AT, PL, PT, RO, SI, SK, ES, CZ, GB, SE); substance with a Community workplace exposure limit	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-01-X REACH-no: 01-2119484862-27	10 – 20	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400
2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) substance with national workplace exposure limit(s) (BE, BG, DK, DE, FI, FR, HU, IE, IT, HR, LV, LT, LU, MT, NL, AT, PL, PT, RO, SI, SK, ES, CZ, GB, SE); substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-44	1 – 5	Eye Irrit. 2, H319
Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (≥ 2.5 EO)) (INCI: C9-11 Pareth-(6-8))	CAS-No.: 160875-66-1	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits (Conc. (% w/w))
Hydrochloric acid (INCI: HYDROCHLORIC ACID)	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-01-X REACH-no: 01-2119484862-27	(0,1 \leq C < 100) Met. Corr. 1, H290 (1 \leq C < 100) Eye Dam. 1, H318 (10 \leq C < 100) STOT SE 3, H335 (10 \leq C < 25) Skin Corr. 1B, H314 (25 \leq C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Overexposure may result in : Soar throat. Cough. Shortness of breath. Difficulty in breathing. May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns. Redness, pain.
Symptoms/effects after eye contact	: Causes serious eye damage. Blurred vision. Burning sensation. Tears. Redness, pain.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not combustible.
-------------	--------------------

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Concerning personal protective equipment to use, see section 8. Material spilled on hard surface can present a serious slipping/falling hazard.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Do not flush into surface water. Avoid release to the environment.

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Dispose of in accordance with relevant local regulations. Wash away remainder with plenty of water.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals.
Precautions for safe handling : Normal precautions for the use of chemicals and cleaners should be taken care of. See information supplied by the manufacturer. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Protect from freezing. Store locked up. Store in a well-ventilated place.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.
Packaging materials : Store in corrosive resistant container with a resistant inner liner.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Water (INCI: AQUA) (7732-18-5)	
Latvia - Occupational Exposure Limits	
Local name	pēc Cr(hroma-amonija alauns)
OEL TWA	0,02 mg/m ³
Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Hydrogen chloride
IOEL TWA	8 mg/m ³
IOEL TWA [ppm]	5 ppm
IOEL STEL	15 mg/m ³
IOEL STEL [ppm]	10 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
Austria - Occupational Exposure Limits	
Local name	Chlorwasserstoff
MAK (OEL TWA)	8 mg/m ³
MAK (OEL TWA) [ppm]	5 ppm
MAK (OEL STEL)	15 mg/m ³
MAK (OEL STEL) [ppm]	10 ppm
Regulatory reference	BGBI. II Nr. 186/2015
Belgium - Occupational Exposure Limits	
Local name	Hydrogène (chlorure d') # Waterstofchloride
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002
Bulgaria - Occupational Exposure Limits	
Local name	Хлороводород
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа
Croatia - Occupational Exposure Limits	
Local name	Vodikov klorid
GVI (OEL TWA) [1]	8 mg/m ³
GVI (OEL TWA) [2]	5 ppm
KGVI (OEL STEL)	15 mg/m ³
KGVI (OEL STEL) [ppm]	10 ppm
Remark	EU* (naznaka da se radi o tvarima za koje su utvrđene indikativne granične vrijednosti izloženosti prema Direktivi 2000/39/ EC (prva lista)); T (otrovno); C (nagrizajuće)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
Czech Republic - Occupational Exposure Limits	
Local name	Chlorovodík
PEL (OEL TWA)	8 mg/m ³
PEL (OEL TWA) [ppm]	5,43 ppm
NPK-P (OEL C)	15 mg/m ³
NPK-P (OEL C) [ppm]	10,19 ppm

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zapracovány změny č. 93/2012 Sb., 9/2013 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Hydrogenchlorid (Chlorbrinte)
OEL TWA [1]	8 mg/m ³
OEL TWA [2]	5 ppm
Regulatory reference	BEK nr 986 af 11/10/2012
Estonia - Occupational Exposure Limits	
Local name	Vesinikkloriid
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293
Finland - Occupational Exposure Limits	
Local name	Kloorivety, vedetön
HTP (OEL STEL)	7,6 mg/m ³
HTP (OEL STEL) [ppm]	5 ppm
Regulatory reference	HTP-ARVOT 2016 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Chlorure d'hydrogène (Acide chlorhydrique)
VLE (OEL C/STEL)	7,6 mg/m ³
VLE (OEL C/STEL) [ppm]	5 ppm
Remark	Valeurs réglementaires contraignantes
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Hydrogenchlorid
AGW (OEL TWA) [1]	3 mg/m ³
AGW (OEL TWA) [2]	2 ppm
Remark	DFG;EU;Y
Regulatory reference	TRGS900
Greece - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	7 mg/m ³
OEL STEL [ppm]	5 ppm
Hungary - Occupational Exposure Limits	
Local name	SÓSAV
AK (OEL TWA)	8 mg/m ³

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
CK (OEL STEL)	16 mg/m ³
Ireland - Occupational Exposure Limits	
Local name	Hydrogen chloride
OEL TWA [1]	8 mg/m ³
OEL TWA [2]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
Italy - Occupational Exposure Limits	
Local name	Acido cloridrico
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Hlorūdeņradis
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania - Occupational Exposure Limits	
Local name	Vandenilio chloridas
IPRV (OEL TWA)	8 mg/m ³
IPRV (OEL TWA) [ppm]	5 ppm
TPRV (OEL STEL)	15 mg/m ³
TPRV (OEL STEL) [ppm]	10 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011
Luxembourg - Occupational Exposure Limits	
Local name	Chlorure d'hydrogène
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Mémorial A N° 235
Malta - Occupational Exposure Limits	
Local name	Hydrogenchloride

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	S.L.424.24
Netherlands - Occupational Exposure Limits	
Local name	Zoutzuur
TGG-8u (OEL TWA)	8 mg/m ³
TGG-15min (OEL STEL)	15 mg/m ³
Regulatory reference	Arbeidsomstandighedenregeling 2017
Poland - Occupational Exposure Limits	
Local name	Chlorowodór
NDS (OEL TWA)	5 mg/m ³
NDSch (OEL STEL)	10 mg/m ³
Regulatory reference	Dz.U. 2014 poz. 817
Portugal - Occupational Exposure Limits	
Local name	Ácido clorídrico
OEL C	2 mg/m ³
OEL C [ppm]	2 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid clorhidric
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Legea 319/2006 privind Securitatea și sănătatea în muncă și HG nr. 1/2012 de modificare și completare a HG 1218/2006
Slovakia - Occupational Exposure Limits	
Local name	Chlorovodík
NPHV (OEL TWA) [1]	8 mg/m ³
NPHV (OEL TWA) [2]	5 ppm
NPHV (OEL STEL)	15 mg/m ³
NPHV (OEL STEL) [ppm]	10 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z.
Slovenia - Occupational Exposure Limits	
Local name	vodikov klorid, brezvodni (klorovodik, brezvodni)
OEL TWA	8 mg/m ³
OEL TWA [ppm]	5 ppm

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
OEL STEL	16 mg/m ³
OEL STEL [ppm]	10 ppm
KTV	2
Regulatory reference	Uradni list RS, št. 102/2010 z dne 17.12.2010
Spain - Occupational Exposure Limits	
Local name	Cloruro de hidrógeno
VLA-ED (OEL TWA) [1]	7,6 mg/m ³
VLA-ED (OEL TWA) [2]	5 ppm
VLA-EC (OEL STEL)	15 mg/m ³
VLA-EC (OEL STEL) [ppm]	10 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país).
Sweden - Occupational Exposure Limits	
Local name	Saltsyra (Väteklorid)
NGV (OEL TWA)	3 mg/m ³
NGV (OEL TWA) [ppm]	2 ppm
KTV (OEL STEL)	6 mg/m ³
KTV (OEL STEL) [ppm]	4 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen chloride
WEL TWA (OEL TWA) [1]	2 mg/m ³ gas and aerosol mists
WEL TWA (OEL TWA) [2]	1 ppm gas and aerosol mists
WEL STEL (OEL STEL)	8 mg/m ³ gas and aerosol mists
WEL STEL (OEL STEL) [ppm]	5 ppm gas and aerosol mists
Regulatory reference	EH40. HSE
Iceland - Occupational Exposure Limits	
Local name	Vetnisklórið (klórvetni)
OEL STEL	8 mg/m ³
OEL STEL [ppm]	5 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Hydrogenklorid (Saltsyre)
Grenseverdi (OEL TWA) [1]	7 mg/m ³
Grenseverdi (OEL TWA) [2]	5 ppm

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
Takverdi (OEL C) [1]	7 mg/m ³
Takverdi (OEL C) [2]	5 ppm
Regulatory reference	Arbeidstilsynet. Forskrift, best.nr. 704
Switzerland - Occupational Exposure Limits	
Local name	Chlorwasserstoff
MAK (OEL TWA) [1]	3 mg/m ³ 3 mg/m ³
MAK (OEL TWA) [2]	2 ppm 2 ppm
KZGW (OEL STEL)	6 mg/m ³ 6 mg/m ³
KZGW (OEL STEL) [ppm]	4 ppm 4 ppm
Remark	SSc - OAW ^{KT AN} - DFG, NIOSH, OSHA
2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-(2-Butoxyethoxy)ethanol
IOEL TWA	67,5 mg/m ³
IOEL TWA [ppm]	10 ppm
IOEL STEL	101,2 mg/m ³
IOEL STEL [ppm]	15 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Austria - Occupational Exposure Limits	
Local name	Butyldiglykol
MAK (OEL TWA)	67,5 mg/m ³
MAK (OEL TWA) [ppm]	10 ppm
MAK (OEL STEL)	101,2 mg/m ³
MAK (OEL STEL) [ppm]	15 ppm
Regulatory reference	BGBl. II Nr. 186/2015
Belgium - Occupational Exposure Limits	
Local name	2-(2-Butoxyéthoxy)éthanol # 2-(2-Butoxyethoxy)ethanol
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002
Bulgaria - Occupational Exposure Limits	
Local name	2-(2-Бутокси-етокси) етанол
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа
Croatia - Occupational Exposure Limits	
Local name	2-(2-Butoksietoksi)etanol; (Dietilen-glikol monobutil-eter)
GVI (OEL TWA) [1]	67,5 mg/m ³
GVI (OEL TWA) [2]	10 ppm
KGVI (OEL STEL)	101,2 mg/m ³
KGVI (OEL STEL) [ppm]	15 ppm
Remark	EU** (naznaka da se radi o tvarima za koje su utvrđene indikativne granične vrijednosti izloženosti prema Direktivi 2006/15/ EC (druga lista)); Xi (nadražujuće)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
Czech Republic - Occupational Exposure Limits	
Local name	2-(2-Buthoxyethoxy)ethanol (Butyldiglykol)
PEL (OEL TWA)	70 mg/m ³
PEL (OEL TWA) [ppm]	10,6 ppm
NPK-P (OEL C)	100 mg/m ³
NPK-P (OEL C) [ppm]	15 ppm
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zapracovány změny č. 93/2012 Sb., 9/2013 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Butyldiglycol
OEL TWA [1]	68 mg/m ³
OEL TWA [2]	10 ppm
Regulatory reference	BEK nr 986 af 11/10/2012
Finland - Occupational Exposure Limits	
Local name	2-(2-Butoksietoksi)etanolii
HTP (OEL TWA) [1]	68 mg/m ³
HTP (OEL TWA) [2]	10 ppm
Regulatory reference	HTP-ARVOT 2016 (Sosiaali- ja terveystieteistie)
France - Occupational Exposure Limits	
Local name	2-(2-butoxyethoxy)éthanol
VME (OEL TWA)	67,5 mg/m ³
VME (OEL TWA) [ppm]	10 ppm
VLE (OEL C/STEL)	101,2 mg/m ³
VLE (OEL C/STEL) [ppm]	15 ppm
Remark	Valeurs réglementaires indicatives

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	2-(2-Butoxyethoxy)ethanol
AGW (OEL TWA) [1]	67 mg/m ³
AGW (OEL TWA) [2]	10 ppm
Remark	EU;DFG;Y;11
Regulatory reference	TRGS900
Hungary - Occupational Exposure Limits	
Local name	2-(2-BUTOXIETOXI)ETANOL
AK (OEL TWA)	67,5 mg/m ³
CK (OEL STEL)	101,2 mg/m ³
Ireland - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol
OEL TWA [1]	67,5 mg/m ³
OEL TWA [2]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
Italy - Occupational Exposure Limits	
Local name	2-(2-Butossietossi)etanolo
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	2-(2-Butoksietoksi) etanols(butildiglikols)
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania - Occupational Exposure Limits	
Local name	2-(2-butoksietoksi)etanolis (dietilenglikolio monobutileteris, oksidietanolio monobutileteris)
IPRV (OEL TWA)	100 mg/m ³
IPRV (OEL TWA) [ppm]	15 ppm
TPRV (OEL STEL)	200 mg/m ³
TPRV (OEL STEL) [ppm]	30 ppm

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011
Luxembourg - Occupational Exposure Limits	
Local name	2-(2-butoxyéthoxy)éthanol
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Mémorial A N° 235
Malta - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy) ethanol
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	S.L.424.24
Netherlands - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol
TGG-8u (OEL TWA)	50 mg/m ³
TGG-15min (OEL STEL)	100 mg/m ³
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een Haanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Regulatory reference	Arbeidsomstandighedenregeling 2017
Poland - Occupational Exposure Limits	
Local name	2-(2-Butoksyetoksy)etanol
NDS (OEL TWA)	67 mg/m ³
NDSch (OEL STEL)	100 mg/m ³
Regulatory reference	Dz.U. 2014 poz. 817
Portugal - Occupational Exposure Limits	
Local name	2-(2-Butoxi)etanol (éter dietilenoglicol monobutílico)
OEL TWA [ppm]	10 ppm FIV (Fração inalável e vapor)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Dowanol DB (eter monobutilic al dietilenglicolului)
OEL TWA	150 mg/m ³
OEL STEL	250 mg/m ³
Regulatory reference	Legea 319/2006 privind Securitatea și sănătatea în muncă și HG nr. 1/2012 de modificare și completare a HG 1218/2006

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
Slovakia - Occupational Exposure Limits	
Local name	Butyldiglykol 2-(2-butoxyetoxy)etanol
NPHV (OEL TWA) [1]	67,5 mg/m ³
NPHV (OEL TWA) [2]	10 ppm
NPHV (OEL STEL)	101,2 mg/m ³
NPHV (OEL STEL) [ppm]	15 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z.
Slovenia - Occupational Exposure Limits	
Local name	2-(2-butoksietoksi)etanol (butildietilenglikol)
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,25 mg/m ³
OEL STEL [ppm]	15 ppm
KTV	1,5
Regulatory reference	Uradni list RS, št. 102/2010 z dne 17.12.2010
Spain - Occupational Exposure Limits	
Local name	2-(2-Butoxi)etanol (Dietilenglicol monobutiléter)
VLA-ED (OEL TWA) [1]	67,5 mg/m ³
VLA-ED (OEL TWA) [2]	10 ppm
VLA-EC (OEL STEL)	101,2 mg/m ³
VLA-EC (OEL STEL) [ppm]	15 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo), r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) nº 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2017. INSHT
Sweden - Occupational Exposure Limits	
Local name	Dietylenglykolmonobutyleter
NGV (OEL TWA)	68 mg/m ³
NGV (OEL TWA) [ppm]	10 ppm
KTV (OEL STEL)	101 mg/m ³
KTV (OEL STEL) [ppm]	15 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)
United Kingdom - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol
WEL TWA (OEL TWA) [1]	67,5 mg/m ³
WEL TWA (OEL TWA) [2]	10 ppm

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
WEL STEL (OEL STEL)	101,2 mg/m ³
WEL STEL (OEL STEL) [ppm]	15 ppm
Regulatory reference	EH40. HSE
Iceland - Occupational Exposure Limits	
Local name	2-(2-bútoxýetoxý)etanól (bútyldíglykól)
OEL TWA	67,5 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	101,2 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	2-2(butoksyetoksy)etanol
Grænseverdi (OEL TWA) [1]	68 mg/m ³
Grænseverdi (OEL TWA) [2]	10 ppm
Regulatory reference	Arbeidstilsynet. Forskrift, best.nr. 704
Switzerland - Occupational Exposure Limits	
Local name	Butyldiglykol
MAK (OEL TWA) [1]	67 mg/m ³ 67 mg/m ³
MAK (OEL TWA) [2]	10 ppm 10 ppm
KZGW (OEL STEL)	101 mg/m ³ 101 mg/m ³
KZGW (OEL STEL) [ppm]	15 ppm 15 ppm
Remark	SS _c - Blut, Leber, Niere - beachte besonders 1.9.2

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Viscoplex Exclusiva	
DNEL/DMEL (additional information)	
See http	//www.dguv.de/ifa/de/gestis/limit_values/index.jsp: Information on ingredients.
Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	15 mg/m ³
Long-term - local effects, inhalation	8 mg/m ³

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
PNEC (Water)	
PNEC aqua (freshwater)	0,036 mg/l
PNEC aqua (marine water)	0,036 mg/l
PNEC aqua (intermittent, freshwater)	0,045 mg/l
PNEC (Soil)	
PNEC soil	0,036 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	0,036 mg/l
2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	10 – 14 ppm (101.2 mg/m ³)
Long-term - systemic effects, dermal	20 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	67,5 mg/m ³
Long-term - local effects, inhalation	67,5 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	7,5 – 50,6 mg/m ³
Long-term - systemic effects, oral	1,25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	34 mg/m ³ (5ppm)
Long-term - systemic effects, dermal	10 mg/kg bodyweight/day
Long-term - local effects, inhalation	34 mg/m ³ (5ppm)
PNEC (Water)	
PNEC aqua (freshwater)	1 mg/l
PNEC aqua (marine water)	0,1 mg/l
PNEC aqua (intermittent, freshwater)	3,9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	4 (4 – 4,44) mg/kg dwt
PNEC sediment (marine water)	0,4 – 0,44 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,32 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	56 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	200 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Protect eyes, face and skin from liquid splashes. Avoid all unnecessary exposure. Hand protection. Gloves. Eye protection. eye protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye/face protection. Chemical goggles or safety glasses. Standard. ISO 16321-1

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent). By prolonged exposure : Reusable gloves. Short term exposure. If there is a risk of liquid being splashed : Disposable gloves / Reusable gloves. Time of penetration is to be checked with the glove producer

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	>0.35 mm (NBR); >0.7 mm (HNBR)		EN 374-3
Disposable gloves / Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	> 0.1 mm		EN 374-3

8.2.2.3. Respiratory protection

Respiratory protection:

No special protection required where adequate ventilation is maintained

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use. The information in this section applies to the undiluted product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: > 100
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

pH	: -0,2 (20°C)
Viscosity, kinematic	: < 47,17 mm ² /s
Viscosity, dynamic	: < 50 mPa·s (20°C)
Solubility	: completely soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1,06 g/cm ³ (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Avoid : Strong bases. Sodium hypochlorite solution.

10.6. Hazardous decomposition products

Thermal decomposition generates : fume. Carbon monoxide. Carbon dioxide. Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Water (INCI: AQUA) (7732-18-5)	
LD50 oral	> 90000 mg/kg bodyweight
LD50 dermal	> 90000 mg/kg bodyweight
Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
LD50 oral rat	238 – 2222 ml/kg
LD50 dermal rabbit	> 5000 mg/kg

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
LC50 Inhalation - Rat	8,3 mg/l (30')
LC50 Inhalation - Rat (Vapours)	45,6 mg/l/4h
2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
LD50 oral rat	3384 – 6600 mg/kg (mouse: 2410 mg/kg)
LD50 oral	5660 mg/kg bodyweight
LD50 dermal rabbit	2700 mg/kg
LD50 dermal	2764 mg/kg bodyweight
LC50 Inhalation - Rat [ppm]	> 29 (2h)
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l/4h
Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (>= 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)	
LD50 oral rat	> 500 mg/kg
Skin corrosion/irritation	: Causes severe skin burns. pH: -0,2 (20°C)
2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
pH	≈ 7 (20°C)
Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (>= 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)	
pH	7 (50g/l, 20°C)
Serious eye damage/irritation	: Causes serious eye damage. pH: -0,2 (20°C)
2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)	
pH	≈ 7 (20°C)
Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (>= 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)	
pH	7 (50g/l, 20°C)
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
Additional information	: Based on available data, the classification criteria are not met
Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Viscoplex Exclusiva	
Viscosity, kinematic	< 47,17 mm²/s
Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (>= 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)	
Viscosity, kinematic	≈ 300 mm²/s

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met, With the product as such no toxicological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : With the product as such no ecological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)

LC50 - Fish [1]	20,5 mg/l (96h)
LC50 - Fish [2]	3,25 mg/l
EC50 - Crustacea [1]	0,45 mg/l (48h)
EC50 - Crustacea [2]	4,92 (48h)
EC50 72h - Algae [1]	0,73 mg/l (72h, pH 4.7)

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)

LC50 - Fish [1]	(1300 mg/l, 96h, Lepomis Macrochirus / 2000 mg/l 96h, Menidia sp.)
LC50 - Fish [2]	2700 mg/l (96h)
EC50 - Crustacea [1]	> 100 mg/l (48h)
EC50 - Crustacea [2]	4950 mg/l (48h)
EC50 72h - Algae [1]	> 100 mg/l (76h)
EC50 72h - Algae [2]	> 100 mg/l (IC50, 96h, Desmodesmus subspicatus)
NOEC chronic crustacea	≥ 100 (OECD 202)
NOEC chronic algae	> 100 (96h, Desmodesmus subspicatus, OECD 201)

Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (≥ 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)

LC50 - Fish [1]	10 – 100 (96h, Oncorhynchus mykiss)
EC50 - Crustacea [1]	10 – 100 mg/l (48h)
EC50 72h - Algae [1]	10 – 100 mg/l (72h)

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

Viscoplex Exclusiva

Persistence and degradability	Not established. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
-------------------------------	---

Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (≥ 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)

Biodegradation	> 60 % (28d, OECD301B, C.4-C; 648/2004)
----------------	---

12.3. Bioaccumulative potential

Viscoplex Exclusiva

Bioaccumulative potential	Not established.
---------------------------	------------------

Water (INCI: AQUA) (7732-18-5)

Partition coefficient n-octanol/water (Log Kow)	-1,38
---	-------

Hydrochloric acid (INCI: HYDROCHLORIC ACID) (7647-01-0)

Partition coefficient n-octanol/water (Log Kow)	0,54
---	------

2-(2-butoxyethoxy)ethanol (INCI: BUTOXYDIGLYCOL) (112-34-5)

Partition coefficient n-octanol/water (Log Pow)	0,3 – 4,69
---	------------

Partition coefficient n-octanol/water (Log Kow)	0,56
---	------

Fatty alcohol ethoxylate (2-Propylheptanol, ethoxylated (≥ 2.5 EO)) (INCI: C9-11 Pareth-(6-8)) (160875-66-1)

Partition coefficient n-octanol/water (Log Pow)	0,3
---	-----

Partition coefficient n-octanol/water (Log Kow)	0,3
---	-----

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : See Section 2.3.

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : This material and its container must be disposed of in a safe way, and as per local legislation. Product as it is : Chemical refuse, Dispose as hazardous waste. Empty containers can be dumped after cleaning according to local legislation. Recycling is preferred to disposal or incineration. Empty the packaging completely prior to disposal. Wash away remainder with plenty of water.

Viscoplex Exclusiva






Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1789	UN 1789	UN 1789	UN 1789	UN 1789
14.2. UN proper shipping name				
HYDROCHLORIC ACID	HYDROCHLORIC ACID	Hydrochloric acid	HYDROCHLORIC ACID	HYDROCHLORIC ACID
Transport document description				
UN 1789 HYDROCHLORIC ACID, 8, II, (E)	UN 1789 HYDROCHLORIC ACID, 8, II	UN 1789 Hydrochloric acid, 8, II	UN 1789 HYDROCHLORIC ACID, 8, II	UN 1789 HYDROCHLORIC ACID, 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C1
Special provisions (ADR) : 520
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T8
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 2R

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B20
Tank instructions (IMDG)	: T8
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: C
Segregation (IMDG)	: SG36, SG49
Properties and observations (IMDG)	: Colourless liquid. An aqueous solution of the gas hydrogen chloride. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.
MFAG-No	: 154

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C1
Special provisions (ADN)	: 520
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C1
Special provisions (RID)	: 520
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T8
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
non-ionic surfactants	<5%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 66	Occupational rhinitis and asthma
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(2) - toxic for aquatic organisms
SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Denmark

MAL code : 00-1 (Executive Order No. 301 from 1993)
Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Raw materials information section 3.

See <http://esis.jrc.ec.europa.eu/index.php?PGM=dat> : Information on ingredients.

Health hazards

See Section 2 & 3 & 11.

Physical hazards

See Section 2 & 10.

Environmental hazards

See Section 2 & 3 & 12.

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Issue date	Modified	
	Revision date	Modified	
	Supersedes	Modified	
	SDS Ref.	Modified	
	Adverse health effects caused by endocrine disrupting properties	Added	
	Safety Data Sheet	Modified	SDS EU format according to COMMISSION REGULATION (EU) 2020/878
	Version	Modified	Major
	UFI	Modified	Major
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	Major
2.2	Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Modified	Major
2.3	Other hazards	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after inhalation	Modified	
4.2	Symptoms/effects after inhalation	Modified	
6.1	Emergency procedures	Modified	
6.1	General measures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	
8.2	Personal protective equipment	Modified	

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
9.1	Concentration of the solution used for the pH measurement	Added	
10	Stability and reactivity	Modified	
11.2.	Adverse health effects caused by endocrine disrupting properties	Modified	
12.1	Ecology - general	Modified	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
13.1	Waste disposal recommendations	Modified	
16	Abbreviations and acronyms	Modified	
16	Data sources	Modified	

Abbreviations and acronyms:	
	ABM: Algemene Beoordelings Methodiek (NL) / ADR: Accord Européen relatif au transport international des marchandises dangereuses par route) / ALG: Allergen / AQTX: Aquatic Toxicity / Atm: Atmosphere (unit of pressure) / bw: bodyweight / C: Ceiling / CAR:\Carcinogenic Effects / CAS No: Chemical Abstracts Service Number (see ACS – American Chemical Society) / CMRs: Carcinogenic, Mutagenic or toxic to Reproduction (substances) / CSR: Chemical Safety Report / Cc (cm3): Cubic Centimeter / DNEL: Derived No-Effect Level / EC50: half maximal effective concentration / ED50: Effective Dose 50 / ET50: Exposure Time 50 / I.V.: Intravenous / Kg: Kilogram / LC: Lethal Concentration / LC50: Median Lethal Concentration / LCLO: Lowest Lethal Airborne Concentration Tested (see also LC50, LD50) / LD: Lethal Dose / LD50: Median Lethal Dose LDLO: Lowest Lethal Dose Tested (see also LC50, LD50) / MAC: Maximum Allowable Concentration / MAK: Maximale Arbeitsplatz-Konzentration (Germany, Maximum Workplace Concentration, see OEL) / MSDS: Material Safety Data Sheet / NOAEL: No Observed Adverse Effect Level / NOEL: No Observable Effect Level / OEL: Occupational Exposure Limits / PBTs: Persistent, Bioaccumulative and Toxic substances / PEC: Predicted Environmental Concentration / PNEC: Predicted No-Effect Concentration / REACH: Registration, Evaluation, Authorisation and Restriction of Chemical substances / STEL: Short-Term Exposure Limit / STEV: Short-Term Exposure Value / STP: Sewage Treatment Plant TLM: Threshold Limit, Median / TLV-C: Threshold Limit Value-Ceiling / TLV®: Threshold Limit Value / TWA: Time-Weighted Average / WGK: Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act) / g/gms: Grams / kJ/mol: Kilojoules per mole / kPa: KiloPascal (unit of pressure) / m3: Cubic Meter / mg: Milligram / ml: Milliliter / ml Hg: Milliliters of Mercury / n.o.s.: Not Otherwise Specified / nm: nanometer / ppb: Parts Per Billion / pph: parts per hundred (= percent) / ppm: Parts Per Million / ppt: parts per trillion / vPvBs: Very Persistent and Very Bioaccumulative substances
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Regulation (EC) No. 648/2004 of 31 March 2004 on detergents.
Other information	: None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Viscoplex Exclusiva

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H400	Very toxic to aquatic life.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Full text of use descriptors

AISE SPERC 8a.1.a.v2	Wide Dispersive Use in 'Down the Drain' cleaning and maintenance products (Consumers and Professionals)
ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
PC35	Washing and cleaning products
PROC10	Roller application or brushing
PROC19	Manual activities involving hand contact
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
SU21	Consumer uses: Private households (= general public = consumers)
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.